


U-SELECT-IT

2023 Product Guide







EXPERIENCE THE **LOWEST COST OF OWNERSHIP** IN THE INDUSTRY

VISIT USELECTIT.COM



1-800-247-8709 • www.uselectit.com




Shown with optional 7th tray, optional 10.1" touch screen and standard leg covers.

Evoke 6 Snack Merchandiser						
Selections	Up to 70 items (6 Tray); 82 Items (7 Tray)					
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS					
Dimensions	Height	72" (183 cm)	Width	46" (116.8 cm)	Depth	35.2" (89.4 cm)
Ship Weight	*626 lbs. (283.9 kg) *Varies with tray configuration and options.					
Standard Features	FLEX Controller with 3.5" LCD Color Display, LED Lighting, iVend® Sensor System, Door Switch, Delivery Assist, Braille Keypad, Leg Covers, PayRange Mobile Payment System & ADA Compliant					
Options	7th Full Size Tray, UVend Technology, 10.1" Touch Screen Interface, Motor Pairing, Audio Interface, Custom Coil and Tray Configurations, Custom Colors, Custom Graphics, Kick Panel & Changeable LED Backlit POS					

ADA COMPLIANT

Product Capacity and Flexibility

633 Items (6 Tray)
(252 Snack-Pastry/381 Candy)
773 Items (7 Tray)
(296 Snack-Pastry/477 Candy)



PayRange Onboard




10.1" Touch Screen iCart Interface


Optional

ADA Compliant









Full-Size 7th Tray

Optional



Shown with standard 3.5" display, braille Identified keypad and leg covers.

Evoke 5 Snack Merchandiser						
Selections	Up to 65 items					
Capacity	528 Items (210 Snack & Pastry / 318 Candy)					
Payment Systems	All Industry standard MDB compatible devices					
Data Communication	DEX/UCS					
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS					
Dimensions	Height	72" (183 cm)	Width	41" (104 cm)	Depth	35.2" (89.4 cm)
Ship Weight	*564 lbs. (256 kg) *Varies with tray configuration and options.					
Standard Features	FLEX Controller with 3.5" LCD Color Display, LED Lighting, iVend® Sensor System, Door Switch, Delivery Assist, Braille Keypad, Leg Covers, PayRange Mobile Payment System & ADA Compliant					
Options	10.1" Touch Screen Interface, UVend Technology, Motor Pairing, Gum and Mint Tray, Audio Interface, Custom Coil and Tray Configurations, Custom Colors, Custom Graphics & Changeable LED Backlit POS & Kick Panel					

ADA COMPLIANT · FC · CE · c UL us LISTED · NAMA LISTED



Available with platinum silver door.

Mercato 5000 Snack Merchandiser						
Selections	Up to 65 items					
Payment Systems	All Industry standard MDB compatible devices					
Data Communication	DEX/UCS					
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS					
Dimensions	Height	72" (183 cm)	Width	41.1" (104.4 cm)	Depth	34.75" (88.3 cm)
Shipping Weight	*516 lbs. (234 kg) *Varies with configuration & options.*					
Standard Features	GVC2 Controller with Scrolling VF Display, LED Lighting, iVend® Delivery Sensor System, Motor Pairing Capable & Back Lighted Braille Keypad					
Options	iCart Touch Screen Interface with FLEX controller, UVend Technology, inDEX Tool, ADA Delivery Bin, Motor Pairing, Additional Gum & Mint Tray, Kick Panel, Custom Colors & Custom Graphics					

ADA COMPATIBLE · CE · ETL · NAMA LISTED



Shown with optional 7" touch screen. Available with black door.

Mercato 4000 Snack Merchandiser						
Selections	Up to 52 items					
Standard Configuration	423 Items (128 Snack / 255 Candy / 40 Pastry)					
Payment Systems	All Industry standard MDB compatible devices					
Data Communication	DEX/UCS					
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS					
Dimensions	Height	72" (183 cm)	Width	35-5/32" (89 cm)	Depth	34.75" (88.3 cm)
Shipping Weight	*481 lbs. (218.2 kg) **Varies with configuration & options.*					
Standard Features	Dual Helix, GVC2 Controller with Scrolling VF Display, LED Lighting, iVend® Delivery Sensor System, Back Lighted Braille Keypad, Motor Pairing Capable, and Gum & Mint Helixes					
Options	iCart Touch Screen Interface with FLEX controller, UVend Technology, inDEX Tool, ADA Delivery Bin, Motor Pairing, Additional Gum & Mint Tray, Kick Panel, Custom Colors & Custom Graphics					

ADA COMPATIBLE CE ETL US NAMA LISTED



Available with platinum silver door.

Mercato 3000 Snack Merchandiser						
Selections	Up to 36 items					
Standard Configuration	360 Items (114/ Snack / 198 Candy / 48 Pastry)					
Payment Systems	All Industry standard MDB compatible devices					
Data Communication	DEX/UCS					
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS					
Dimensions	Height	72" (183 cm)	Width	29.3" (74.4 cm)	Depth	34.75" (88.3 cm)
Shipping Weight	*431 lbs. (195.5 kg) **Varies with configuration & options.*					
Standard Features	Dual Helix, GVC2 Controller with Scrolling VF Display, LED Lighting, iVend® Delivery Sensor System, Back Lighted Braille Keypad, Motor Pairing Capable and Gum & Mint Helixes					
Options	iCart Touch Screen Interface with FLEX controller, inDEX Tool, UVend Technology, ADA Delivery Bin, Motor Pairing, Additional Gum & Mint Tray, Kick Panel, Custom Colors & Custom Graphics					

ADA COMPATIBLE CE ETL US NAMA LISTED



Evoke Elevator

Shown with standard 3.5" display and braille identified keypad.

Evoke Elevator Refrigerated Merchandiser						
Selections	Up to 60 Items					
Capacity	Varies with Tray Configuration					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS					
Refrigeration	Super 1/3 HP, R134A					
Electrical Requirements	Domestic: 115 VAC/60Hz, 8 AMPS International: 230 VAC/50Hz, 4 AMPS; With Heated Glass Option: 115 VAC/60Hz, 9 AMPS International: 230 VAC/50Hz, 4.5 AMPS					
Dimensions	Height	72" (183 cm)	Width	41" (104 cm)	Depth	38" (97 cm)
Ship Weight	*831lbs. (376.9kg) *Varies with tray configuration and options.*					
Standard Features	FLEX Controller with 3.5" LCD Color Display, LED Lighting, iVend® Sensor System, Lighted Delivery Bin, Door Switch, Versatile Steel Beverage Tray, Leg Covers, Elevator Delivery, Braille Keypad, Programmable by Individual Selections, Range & Row, PayRange Mobile Payment System & ADA Compliant					
Options	7" iCart Touch Screen Interface, UVend Technology, Motor Pairing, High Capacity Can Tray, Audio Interface, Custom Coil and Tray Configurations, Custom Colors, Custom Graphics, Automatic Controller (Heated Glass), Changeable LED Backlit POS, R-513A (SNAP Compliant) Refrigeration & Kick Panel					

Refrigerant SNAP Compliant *OPTION

ADA COMPLIANT

Proven Elevator System Gently Delivers Products

Packaged Meals, Salads, Sandwiches, Juices, Carbonated Beverages, Fresh Fruit, Dairy Products Including Milk &



First in First Out Loading

Reduces Spoilage up to 30%



20% Greater Capacity

When compared with competitors

Health Safety

Programmable by selections, range and row





Evoke VT5

Shown with optional High Capacity Can Tray, optional 7" touch screen and standard leg covers.



Evoke ST5

Shown with standard 3.5" display, braille identified keypad and standard leg covers.

Evoke 5 Refrigerated Merchandiser						
Selections	Up to 60 Items					
Capacity	Varies with Tray Configuration					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS					
Refrigeration	Super 1/3 HP, R134A					
Electrical Requirements	Domestic: 115 VAC/60Hz, 8 AMPS International: 230 VAC/50Hz, 4 AMPS With Heated Glass Option: 115 VAC/60Hz, 9 AMPS International: 230 VAC/50Hz, 4.5 AMPS					
Dimensions	Height	72" (183cm)	Width	41" (104 cm)	Depth	38" (97cm)
Ship Weight	*811 lbs. (367.8 kg) **Varies with tray configuration and options.*					
Standard Features	FLEX Controller with 3.5" LCD Color Display, LED Lighting, iVend® Sensor System, Door Switch, ADA Delivery Bin, Braille Keypad, Full Health Safety Feature, Leg Covers, PayRange Mobile Payment System & ADA Compliant					
Options	7" iCart Touch Screen Interface, UVend Technology, Motor Pairing, High Capacity Can Tray, Audio Interface, Custom Coil and Tray Configurations, Custom Colors, Custom Graphics, Kick Panel, Automatic Controller (Heated Glass), R-513A (SNAP Compliant) Refrigeration& Changeable LED Backlit POS					

ADA COMPLIANT · FC · CE · UL Energy Verified · NAMA LISTED

ENERGY STAR · INTERTEK ETL LISTED c US · Refrigerant SNAP Compliant *OPTION



Evoke VT3

Shown with optional High Capacity Can Tray, optional 7" touch screen and standard leg covers



Evoke ST3

Shown with standard 3.5" display, braille identified keypad and leg covers.

Evoke 3 Refrigerated Merchandiser						
Selections	Up to 36 Items					
Capacity	Varies with Tray Configuration					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS					
Refrigeration	Super 1/3 HP, R134A					
Electrical Requirements	Domestic: 115 VAC/60Hz, 8 AMPS International: 230 VAC/50Hz, 4 AMPS With Heated Glass Option: 115 VAC/60Hz, 9 AMPS International: 230 VAC/50Hz, 4.5 AMPS					
Dimensions	Height	72" (183 cm)	Width	29.5" (75 cm)	Depth	38" (97 cm)
Ship Weight	*691 lbs. (313.4 kg) **Varies with tray configuration and options.*					
Standard Features	FLEX Controller with 3.5" LCD Color Display, LED Lighting, iVend® Sensor System, Door Switch, ADA Delivery Bin, Braille Keypad, Full Health Safety Feature, Leg Covers, PayRange Mobile Payment System & ADA Compliant					
Options	7" iCart Touch Screen Interface, Motor Pairing, UVend Technology, High Capacity Can Tray, Audio Interface, Custom Coil and Tray Configurations, Custom Colors, Custom Graphics, Kick Panel, Automatic Controller (Heated Glass), R-513A (SNAP Compliant) Refrigeration & Changeable LED Backlit POS					

ADA COMPLIANT · FC · CE · UL Energy Verified · NAMA LISTED

ENERGY STAR · INTERTEK ETL LISTED c US · Refrigerant SNAP Compliant *OPTION



Evoke Outdoor VT



Evoke Outdoor ST

Shown with standard 3.5" display, braille identified keypad and leg covers.

Evoke Outdoor Refrigerated Merchandiser						
Selections	Up to 60 Items					
Capacity	Varies with tray configuration					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS					
Refrigeration	Super 1/3 HP, R134A or R-513A (SNAP Compliant)					
Electrical Requirements	Domestic: 115 VAC/60Hz, 8 AMPS International: 230 VAC/50Hz, 4 AMPS With Heated Glass Option: 115 VAC/60Hz, 9 AMPS International: 230 VAC/50Hz, 4.5 AMPS					
Dimensions	Height	72" (183 cm)	Width	45" (114 cm)	Depth	40" (102 cm)
Ship Weight	*830 lbs. (376.5 kg) **Varies with tray configuration and options.*					
Standard Features	Outdoor Package, GVC2 Controller, Heated Glass, Leg Covers, LED Lighting, ADA Delivery Bin, ADA Compliant, iVend® Sensor System, and Door Switch					
Options	6th Tray, Dual Helix, Motor Pairing, 10 Select Can/Bottle, UVend Technology, High Capacity Can Tray, *inDEX* Tool, R-513A (SNAP Compliant) Refrigeration, Custom Graphics and Kick Panel					

ADA COMPLIANT

Outdoor Package

Impact resistant Lexan window cover, rain guards and anti-pry covers provide superior resistance to the elements, vandals and thieves.





Shown with platinum silver door.
Available with black door.


Alpine Combi 3000 Refrigerated/Frozen Merchandiser						
Selections	Up to 36 Items					
Capacity	320 Items, Configurable up to 540					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS					
Refrigeration	½ HP, R-404A					
Electrical Requirements	Domestic: 115 VAC/60Hz, 13 AMPS International: 230 VAC/50Hz, 6.5 AMPS					
Dimensions	Height	72" (183 cm)	Width	29.5" (75 cm)	Depth	38" (97 cm)
Ship Weight	*680 lbs. (308.4 kg) **Varies with tray configuration and options.*					
Standard Features	iVend® Delivery Sensor System, LED lighting, Heated Glass and High Efficiency Modular Refrigeration System					
Options	Delivery Assist Box, *InDEX* Tool, UVend Technology, Motor Pairing, Dual Helix, Can & Bottle Tray, Custom Graphics, R-452A (SNAP Compliant) Refrigeration & Kick Panel					

Refrigerant SNAP Compliant *OPTION

ADA COMPATIBLE

Available in Multi-Zone Configuration or Full Frozen Configuration

Vend refrigerated foods from the top zone at 36°F and frozen deserts at -15°F from the bottom.



Fresh Brew and Freeze Dried Models Available



Evoke Coffee Hot Beverage Merchandiser						
Selections	11 Major Selections & up to 34 Beverage Combinations of Coffee, Specialty Coffees, Hot chocolate, Tea, Cappuccino & Espresso					
Capacity	Up to **400** - 7 oz (210 ml) squat cups; Up to **384** - 12 oz (355 ml) cups Accommodates cups up to a lip diameter of 2.9-3.25" (73-82.5 mm)					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS, EVA-DTS compatible, USB copy/clone feature					
Electrical Requirements	Domestic: 115 VAC/60Hz., 9.6 AMPS; International: 230 VAC/50Hz 4.8 AMPS					
Dimensions	Height	72" (183 cm)	Width	27.5" (70.5 cm)	Depth	28" (71 cm)
Ship Weight	*361 lbs. (163.7 kg) **Varies with configuration and options.*					
Water Requirement	15-116 psi (1-8 Bar)					
Standard Features	LED lighting, iVend® Delivery Sensor System, Advanced Power Management System, Automatic Delivery Door, Timed Free Vend, Discounting, One Touch Servicing					
Options	Fresh Brew and Freeze Dry Models, USB Programming Harness, Custom Colors, Custom Graphics, UVend Technology and Kick Panel					

ADA COMPLIANT



Evoke 500 Cold Drink Vendor						
Selections	10 Selections					
Capacity	12 oz (355 ml) Can: **500** *20 oz (591ml) Bottle: **240** *24 oz (710 ml) Bottle: **240** **Capacities vary depending on packaging.*					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS					
Refrigeration	Super 1/3 HP, R-513a (SNAP Compliant)					
Electrical Requirements	Domestic: 115 VAC/60Hz., 7 AMPS; International: 230 VAC/50Hz 3.5 AMPS					
Dimensions	Height	72" (183 cm)	Width	31.75" (80.7 cm)	Depth	36.5" (92.7 cm)
Ship Weight	*671lbs (304.3 kg) **Varies with options.*					
Standard Features	Delivery Drop Sensor, Live Product Display, Eye Catching Back Lighted Display					
Options	*inDEX* Tool (Pricing Only), UVend Technology, Custom Colors, Custom Graphics, Extra 16.9oz filler, 250ml kit, 500 ml kit					

ENERGY STAR

Refrigerant SNAP Compliant

ADA COMPLIANT

c UL us LISTED



DELIVERY LOCKERS

Available on the App Store

ANDROID APP ON Google play

Allow end-users to streamline their mobile ordering or pick-up experience with a complete end-to-end contactless experience.

Shown with Optional Graphics Wrap and Touch Screen

INCREASE ORDER THROUGHPUT

Improves operations and reduces costs by eliminating bottlenecks and improving customer throughput

KEEPS FOOD FRESH

Insulated cubbies keep hot and cold food viable for 30+ minutes at a time

REDUCES ORDER MIX-UPS

Create pick-up efficiencies and reduce order mix-ups



Scan&Go MARKET

Self Service Convenience with the Security you Need

Vending + Micro Market Hybrid

PAY GRAB SCAN CHECK OUT

*In order to bring you the best products possible, we continue to improve product design and performance and as such specifications are subject to change without notice. The manufacturer makes no warranties or representations of compliance with any local, state, national or international requirements for the operation of the equipment in any application for which it is capable of being used beyond the UL and NAMA approvals listed on the product. Any purchaser is required to make an independent analysis of the fitness and legality of the product's usage before it is deployed and must continue to monitor the potential changing nature of compliance requirements. The manufacturer expressly disclaims responsibility for compliance with any laws and affirmatively requires any buyer to make an independent analysis of the fitness and legal basis of any use or application of the subject unit.

Standard Features & Options

U-Select-It's full line of vendors are packed full of features and available options to help you market more effectively.





Electronic Controllers and Operator Interface

- Expanded sales and accounting features
- Back lighted keypad with Braille identification
- Bright LED display



greenlite powered by Cantaloupe Systems

Cashless (Optional)
Greenlite Cashless accepts credit, debit & mobile payments.



PUSH-IT Delivery System (Optional)
PUSH-IT easily adapts to many different products, makes restocking simple, and protects against misloading.



ADA Delivery Bin (Optional) Standard on Evoke
Product is delivered at 15" via lift mechanism. Operates with one hand.




Heated Glass
Optimum for use in high humidity locations. Standard on Alpine Combi 3000 and Evoke Outdoor ST/VT. Optional Evoke ST/VT5 and ST/VT3.



Kick Panel (Optional)
Removable bottom panel provides aesthetically pleasing continuous presentation.



UVend Technology (Optional)
Quickly and safely sanitizes the machine's high-touch surfaces with UVC light



iCART

10.1" or 7" Touch Screen Interfaces (Optional)
Enhances consumer purchase experience. Available with Shopping Cart and Product Info Browse Mode. Communicates purchase information & messages



Flex Shelf Technology
USI vendors feature the most versatile trays on the market with features that make a difference in your bottom line.

- Tilting shelves for easy loading
- Quick change motors and dividers for easy in-field configuration changes
- Adjustable snack and candy selections
  - Full snack (5 3/4"W)
  - 3/4 snack (4 5/16"W)
  - Candy (2 7/8"W)
- 360 - degree helix adjustable in 20 - degree increments provides flexibility to vend virtually anything







Custom Graphics (Optional)
Make your brand, product and marketing initiatives stand out with billboard graphics applied to your equipment.



iVend® Ensured Delivery Sensing Technology
Infrared sensor system virtually eliminates misvends and ensures that your customers receive their products or their money back.



Motor Pairing
Enables pairing two motors together for dispensing wide products.



Gum & Mint Tray (Optional)
Gum & Mint Tray option dispenses blister pack gum, rolled mints and even popular energy shots. Available on Mercato 4000, 5000 and Evoke 5.



Versatile Steel Beverage Tray Options
Holds up to 60 canned or bottle beverages. 9 and 10 Select Trays Available.



High Capacity Can Tray (Optional)
Add up to 150 - 12 oz cans to your Evoke ST & VT vendors with this patented option.



High Security Kit (Outdoor Only)
Impact resistant Lexan window cover, provide superior resistance to the elements, vandals and thieves. *Some features vary by model please consult manufacturer.



USB Software Upgrades and DEX Downloads with Evoke and Geneva

Payment Systems – Greenlite Cashless

Never miss a sale with Greenlite Cashless

greenlite®

Give your business the **Greenlite** to grow.



By accepting cashless payment options, including credit, debit and mobile payments, you can increase sales by 30% or more while increasing operational efficiencies.

Features:

- **Engineered for Mobile Payments**
- **Integrated Cash Management**
- **Timely Deposits, Clear Pricing, Faster Profits**
- **Real-Time Reporting**
- **Advanced Security**
- **Remote Inventory Management**
- **Remote monitoring and pricing**

Payment Systems – Conlux Coin Changes and Bill Validators

CONLUX

Other cash & credit payment systems including international are available. Please contact U-Select-It for quote.



Conlux CV 3000 Series



Conlux MCM5 Series

Coin Changers

CONLUX

Model	Type	Currency/Capacity
MCM5-1	MDB	5 Tube Cassette - 25¢, 5¢, 25¢, 10¢, 25¢
MCM5-4	MDB	5 Tube Cassette - $1, 5¢, 25¢, 10¢, 25¢

Bill Validators


CONLUX

Model	Type	Currency/Capacity
CV3Y2-U3MUS	MDB	U.S. 300 Bill Capacity - $1-$20 and Coupon - Bottler Front Bezel
CV322-USMUS	MDB	U.S. 500 Bill Capacity - $1-$20 and Coupon - Full Line Front Bezel
CV322-USMUS	MDB	U.S. 500 Bill Capacity - $1-$20 and Coupon - Bottler Front Bezel

Financing

Competitive Financing Available

Innovative Finance Solutions Available For:


New Vending Equipment


Route Acquisition


Parts



Cashless Readers


Micro Markets

Leasing options also available

Since 1952, we have helped customers grow their vending businesses and reach their goals by providing flexible, competitive financing solutions.

Warranty and Service

Exceptional Quality Backed by Added Assurance

Premium 2-Year Warranty

Nothing drives us to do better than our commitment to your peace of mind. That's why every new USI merchandiser comes with a **premium 2-year warranty***. True value is owning a quality merchandiser without repair worries.



SOLID SHIELD
EXTENDED WARRANTY

The Solid Shield Warranty provides up to an additional 36 months of warranty protection. Available with 12, 24 and 36 month coverage options, the Solid Shield Warranty provides peace of mind and coverage for future, unplanned expenses.

**Terms and conditions apply. Contact U-Select-It for full warranty coverage details.*